



35 mm x 55 mm x 20 mm BR100HT-S100A
Backstop Cam Clutch / One Way Clutch Bearing
100x290x90mm

Bearing No. NA4907

NA4907 Bearing 2D drawings and 3D CAD models

Size	35x55x20 mm
Bore Diameter	35 mm
Outer Diameter	55 mm
Width	20 mm
d	35 mm
D	55 mm
B	20 mm
F	42 mm
r_{min}	0,6 mm
s	0,8 mm / Axial displacement
m	170 g / Weight
C_r	35500 N / Dynamic load rating (radial)
C_{Or}	50000 N / Static load rating (radial)
C_{ur}	9400 N / Fatigue limit load, radial
n_G	10700 1/min / Limiting speed
n_B	6000 1/min / Reference speed
Category	Needle Non Thrust Roller Bearings
Inventory	0.0
Manufacturer Name	SCHAEFFLER GROUP
Minimum Buy Quantity	N/A



UG Ball Bearing CORP.

Weight / Kilogram	0.17
EAN	4012802193329
Product Group	B04270
Rolling Element	Needle Roller Bearing
Component	Complete with Outer and Inner Ring
Enclosure	Open
Self Aligning	No
Retainer	Yes
Number of Rows of Rollers	Single Row
Separable	Inner Ring - Both Sides
Closed End	No
Inch - Metric	Metric
Relubricatable	Yes
Thrust Bearing	No
Long Description	35MM Bore; 55MM Outside Diameter; 20MM Width; Needle Roller Bearing; Complete with Outer and Inner Ring; Open Enclosure; No Self Aligning; Retainer; Single Row of Rollers; Inner Ring - Both Sides Sepa
Other Features	Plain Inner Ring 2 Rib Outer Ring Precision Bearing Steel Cage Ground Raceway with Rib Oil Hole
Category	Needle Non Thrust Roller Bearing
UNSPSC	31171512
Harmonized Tariff Code	8482.40.00.00
Noun	Bearing
Keyword String	Needle
Manufacturer URL	http://www.ina.com



UG Ball Bearing CORP.

Manufacturer Item Number	NA4907
Weight / LBS	0.375
Outside Diameter	2.165 Inch 55 Millimeter
Bore	1.378 Inch 35 Millimeter
Width	0.787 Inch 20 Millimeter